

**TENDER FOR SUPPLY OF
DIGITAL PHOTOPOLYMER VIOLET PLATES FOR CTP
(NEWSPAPER & COMMERCIAL) WITH CHEMISTRY**

Tenders are hereby invited from foreign principals and local suppliers for the supply of CTP Digital Photopolymer Violet Plates with Chemistry as specified below: -

Digital Photopolymer Violet Plates for CTP with Recommended Processing Chemistry (Newspaper & Commercial)

| No | Press | Size | Application | Quantity |
|----|------------------|---------------------|-------------|----------|
| 1 | Harris | 589 x 915 x 0.30 mm | Newspaper | 15,000 |
| 2 | Goss Urban Liner | 586 x 889 x 0.30 mm | Newspaper | 25,000 |
| 3 | Magnum | 607 x 889 x 0.30 mm | Newspaper | 4,500 |

| | |
|-----------------|---------------------------------------------------------------|
| CTP Developer | Indicate required no. of cans for the above plate quantities. |
| CTP Replenisher | Indicate required no. of cans for the above plate quantities. |
| Finisher Gum | Indicate required no. of cans for the above plate quantities. |

Foreign Offers

CIF price indicating Cost, Insurance & Freight chargers (Ocean Freight) separately should be submitted in a sealed envelope marked "**Tender for CTP Digital Photopolymer Violet Plates**" on the top left-hand corner.

Local Offers

Ex-stock price indicating transport Charges, VAT and other levies separately should be submitted in a separate cover on the same manner.

Tender documents can be collected on any working day from **09.07.2010** to **19.07.2010** from Head of supply **Chain Management, The Associated Newspapers of Ceylon Ltd., No. 35, D.R.Wijewardene Mw., Colombo – 10**, upon paying a non refundable deposit of Rs. 250/- in cash. Tender Documents are also available at the web site www.dailynews.lk and www.sundayobserver.lk and could also be used with non-refundable payment of Rs. 250/-.

Offers should be sent to Head of Supply Chain Management to reach on or before **20th July 2010** and will be opened immediately after the closing time.

Probable date of delivery, validity of price, Terms of Payment, Technical Literature etc., to be clearly indicated on offers.

The Successful bidder should provide a performance bond to the value of 5% with a validity period of 90 days.

Bidders or Accredited Representatives will be allowed to be present at the opening. However, The Associated Newspapers of Ceylon Ltd. reserves the right to accept or reject any or all offers without assigning any reason what so ever.

**Head of Supply Chain Management
THE ASSOCIATED NEWSPAPERS OF CEYLON LTD
No.35, D.R.Wijewardene Mw.,
Colombo 10.**

For details: - 2429411

APPLICATION FORM

SUPPLY OF DIGITAL PHOTOPOYMER VIOLET PLATES (NEWSPAPER) TO ANCL

| | | | |
|-------------------------------------------|----------------------------|----------------------------|----------------------------|
| Details of the Supplier/ Principal | | | |
| 01) | Name | | |
| 02) | Adress | | |
| 03) | Contact person | | |
| 04) | Contact telephone no | | |
| 05) | Contact fax no | | |
| 06) | Contact e-mail | | |
| Details of the Agent in Sri Lanka | | | |
| 07) | Name | | |
| 08) | Adress | | |
| 09) | Contact person | | |
| 10) | Contact telephone no | | |
| 11) | Contact fax no | | |
| 12) | Contact e-mail | | |
| 13) | Agency status | | |
| General | | | |
| 14) | Brand name | | |
| 15) | Country of origin | | |
| 16) | Delivery period | | |
| 17) | Payment terms | | |
| 18) | Quoted currency | | |
| 19) | ANCL Receipt No | | |
| 20) | Validity | | |
| Our quotations are as follows, | | | |
| Press | Harris | Goss Urban Liner | Magnum |
| Plate Size | 589 x 915 x 0.30 mm | 586 x 889 x 0.30 mm | 607 x 889 x 0.30 mm |
| Application | Newspaper | Newspaper | Newspaper |
| Quantity offered | | | |
| Price per Unit | | | |
| Fob | | | |
| Freight | | | |
| Insurance | | | |
| Total CIF/ C & F / FOB | | | |
| Total CIF/ C & F / FOB in words | | | |

Cont.....2,

Processing Chemistry

| No | Chemistries | Name of Product | Packaging Units | Required Quantity | Price - Currency | | | | Delivery Period |
|----|-----------------------|-----------------|-----------------|-------------------|------------------------|-----|-----|-------|-----------------|
| | | | | | FOB | FRE | INS | Total | |
| 1 | Developer | | | | | | | | |
| 2 | Developer Replenisher | | | | | | | | |
| 3 | Finisher Gum | | | | | | | | |

Plate Image Remover and Thermal Strips

| No | Item | Name of Product | Packaging Units | Required Quantity | Price - Currency | | | | Delivery Period |
|----|-----------------------|-----------------|-----------------|-------------------|------------------------|-----|-----|-------|-----------------|
| | | | | | FOB | FRE | INS | Total | |
| 4 | Deletion Pen | | | | | | | | |
| 5 | Thermo Lables(strips) | | | | | | | | |

We/I the undersigned do hereby undertake to supply the goods described herein in accordance with the specification and execute the orders to the entire satisfaction of the Associated Newspapers of Ceylon Limited, if our/my tender is accepted.

Date**Company seal****Signature**

REQUIRED ADDITIONAL INFORMATION

Technical Specification

| No | Brand / Name of the plate | Run Length | Recommended Safe Light | Sensitivity mj/cm2 | Life time of the plate |
|----|---------------------------|------------|------------------------|--------------------|------------------------|
| 1 | | | | | |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |

Recommended Processing Chemistry

| No | Chemistries | Name of Product | Packaging Units | Bath Life |
|----|-----------------------|-----------------|-----------------|-----------|
| 1 | Developer | | | |
| 2 | Developer Replenisher | | | |
| 3 | Finisher Gum | | | |

Plate Image Remover and Thermal Strips

| No | Item | Name of Product | Packaging Units |
|----|-----------------------|-----------------|-----------------|
| 4 | Deletion Pen | | |
| 5 | Thermo Lables(strips) | | |

Provide Following Documents (please "X" if available)

- 4.1 Technical Manuals
- 4.2 Material safety Data Sheets (MSDS)
- 4.3 Press Troubleshooting Guides
- 4.4 Recommended Pressroom Chemicals
- 4.5 Data sheets for the Deletion and Thermo Lables
- 4.6 Specify additional Technical Supports

| |
|--|
| |
| |
| |
| |
| |
| |